

- 35



# EXTENDED CARE BEDS



## EXTENDED CARE BEDS

늵

**B**asic

American

We proudly make all of our beds in the USA to the highest safety standards.<sup>6</sup>

- FDA Recognized Standard: ANSI/AAMI STD ES60601-1
- Health Canada Recognized Standard: CAN/CSA C22.2 No. 60601-1 (IEC 60601-1:2012-Edition 3.1)
- Includes International Standards: IEC 60601-1, IEC 60601-1-2, IEC 60601-2-52

#### All Basic American Extended Care Beds Are

- Certified transport device passes threshold clearance at ALL heights ideal for evacuation
- Silver Solutions powder-coating provides antimicrobial surface protection and deters the growth of odor-causing bacteria
- No holes on top surface of tubes that could harbor fluids/bacteria
- Grounded bed with right-angle hospital grade plug for safety
- Adjustable Wallsaver protects the wall with smallest footprint
- Patented Hi-Lo mechanism adds life to the motors
- Sturdy, no-sag, grid sleep surface with cross braces
- Bed provides 360 mobility for cleaning, etc.
- Proudly Made in the USA
- Assist devices available
- Tool-less assembly

Zenith 7200 Pendant Shown



**Adjustable** Wallsaver

- Maximum wall protection
- Adjustable clearance lengths
- Standard on all beds



- Advanced Positioning System (APS) includes One-Button Comfort/Cardiac Chair Position (optional on Matrix 7200).
- Straight-Line Hi-Lo Travel with Patent-Awarded Design Technology
- 'Plug and Play' Digital Electronics enable future feature additions
- Smart Technology
- Industry-leading, energy-saving electronics consume up to 66% less power than transformer electronics when idle
- Sealed ball bearings joints provide continuous, maintenance-free, silent operation
- Intuitive two-pedal locking system centrally located, easily visible and accessible at all heights and widths
- Tool-less assembly

#### Zenith & Matrix Series Bed Configurations -

- Embedded staff control with safety-inspired, two-stage lockouts enabling caregivers to lock-out features to the resident
- Standard or Advanced Positioning System (APS)
- APS Staff Controls are optional. (APS Staff Control includes One-Button Comfort/Cardiac Chair and Trendelenburg/Reverse Trendelenburg Positions)
- Hand Pendant to control Trendelenburg/Reverse Trendelenburg (sold separately)
- Accessories and some options are sold separately



### Mattress Retainers

• Adjustable for multiple mattress lengths • Standard on all beds



## **Intuitive Two-Pedal Locking System**

- Centrally positioned and easily visible from a distance ensures the caregiver that bed is locked at a glance.
- Bed rolls at any height increasing caregiver safety
- Readily accessible at ALL bed widths and heights (even lowest)
- Select Option at time of purchase





## ZENITH SERIES BEDS & *SLIDE*·*W*·*I*·*D*·*E*<sup>®</sup>





#### **Zenith Series Standard Features**

With US Patent awarded time-saver Hi-Lo system
Tall, Tubular Securely Mounted Head and Footboards create a built-in push bar and reduce breakage

Zenith 9200 SERIES 9200 WITH APS SHOWN WITH

Slide-W-I-D-E® deck option

#### Zenith 7200 SERIES 7200 & 7200 WITH APS

#### OPTIONAL WITH THE ZENITH SERIES **Slide – VV–J–D–E**° EXPANDABLE/RETRACTABLE SLEEP DECK

Quick-release ball-detent pins attached to beds with lanyards



## Wider sleep surfaces reduce falls by residents accustomed to sleeping on common consumer products.<sup>2</sup>

- Patented design allows for quick adjustment, ideal for moving through doorways to assist in **emergency evacuations**
- Expandable/retractable deck quickly and easily adjusts to 35, 39, or 42 inches with two quick-release ball-detent pins on each side.
- Wide head and footboards available in 42 inch width
- All pins are attached to the bed with lanyards, eliminating lost parts
- Rails and assist devices are also quick-release without tools

<sup>2</sup> Fragala G, Perry B, Fragala M, Examining bed width as a contributor to risk of falls from bed in long term care. Annals of Long-Term Care: Clinical Care and Aging, 2012; 20(6):35-38





39 35

35' 39' 42

## MATRIX SERIES BED WITH APS





## Matrix

#### **Matrix Series Standard Features**

- Advanced Positioning System (APS) includes One-Button Comfort/Cardiac Chair Position (optional on Zenith 7200).
- Straight-Line Hi-Lo Travel with Patent-Awarded Design Technology

## Matrix 6200 SERIES 6200 WITH APS



## Advanced Positioning System (APS)

#### Advanced positioning allows the bed to go into numerous positions

- Positively influencing clinically driven outcomes through multiple positioning options
- Accommodating post-surgical rehab positioning to facilitate resident comfort
- Reduces caregiver strain and potential injuries versus manually repositioning residents
- Built-In Hi-Lo Lockout Feature (on APS Hand Controls)



Head Knee A A V V Chair Ch

#### Zenith 9200 APS SHOWN

with Advanced Positioning System, Slide-W-I-D-E deck option, and intuitive pedal-lock option Comfort/Cardiac Chair Position

## LIBERTY BED & OVERBED TABLES







#### **Liberty Bed Standard Features**

- Desired features at affordable price point
- Four Locking casters standard

#### Liberty Bed Available with


- Maximize security with optional one-step red/green pedal lock (as shown)
- Optional 4-inch Total-lock casters increase under-bed clearance

## **Overbed Table Options**



## **BOARD STYLES & ACCESSORIES**









#### Provide a sturdy and secure hand hold to assist residents in and out of bed yet easily swivels out of the way when desired.

- Meet FDA Entrapment Guidelines
- Patented Counter-Rotating Assist Devices
- Removable without tools
- Move out of the way for lateral transfers
- Pivot away from egress area
- Provide toe clearance in lowest position to prevent staff injury
- Hand pendant mounts facing inward or outward and away from hand grab area







### Crescent with Cap



Custom Finishes available upon request. Additional cost may incur.







#### **USB Power Supply**

- Charges most devices • Works with all beds

#### **Bed Cart**

- Ideal for ease of storage.
- Bed cart allows beds to fit through narrow doorways.
- Designed for One-Person Mounting and maneuverability
- Works with all beds



#### Side Wall Bumper

- Maximum wall protection
- Works with all Zenith and Matrix Beds

#### Advanced Positioning Pendant

- Upgrade from Standard to APS on Zenith 7200
- One-Button Comfort/Cardiac Chair Position
- Hi-Lo Lockout Feature



#### **Pivot Assist Bars**







#### **Fixed Assist Devices**

Provide a sturdy and secure hand hold to assist residents in and out of bed.

 Move out of the way for lateral transfers Tool-free assembly and removal



 $\triangle$  $\triangle$ 00 2  $\nabla$ \_\_\_ OC

 $\triangle$ 

 $\nabla$ 

## ACCESSORIES & FINISHES




#### **Board Mounted IV Socket**

- Mounts with 2 screws
- Easy to install
- IV pole sold separately
- Works with all beds



#### **UnderBed Light**

- Reduces fall risks
- Eliminates bright light intrusion
- Multi-level light intensity
- Works with all beds



**Plastic Pan Deck Kit** • Fits 6200, 7200, 9200 Series

**Edema Foot Ratchet Kit** 

• Extends standard length bed frame from

 Elevated foot rest. • Standard on Zenith 9200





#### **Pin-on Wide Kit**

- Fits 35 inch width 6200, 7200, 9200
- Available in 39" or 42" width kits
- Anytime add-on



#### **Embedded Staff Control**

- Standard Functionality and Lockouts, or Advanced Positioning (APS).
- Angled-Up Display for Improved Visibility
- Two-Stage lockouts deter unwanted changes
- Mix or Match with Plug & Play design
- Upgrade anytime



#### **Trapeze and Adapter**

- Pivots out of the way when not in use
- Works with all Zenith and Matrix Beds
- Rigid Design

### Kensington Maple

Solar Oak

**Fonthill Pear** 

### Wild Cherry

Windsor Mahogany

**Shaker Cherry** 

#### **Talas Cherry**

#### Aria

Cocobala

www.grahamfield.com

Accessories Sold Separately







SPECIFICATIONS
----------------

15:	Zenith 9200	Zenith 7200	Matrix 6200	Liberty
jth:	80-84 inch	80-84 inch	80-84 inch	76-80 inch
th:	35 inch	35 inch	35 or 42 inch	35 inch
ge:	<b>7-30</b> inch	7.95-30 inch	8.95-27 inch	9.95-24.4 inch
ad: pries	<b>600</b> lb	<b>550</b> lb	<b>450</b> lb	<b>450</b> lb
ght:	<b>550</b> lb	<b>500</b> lb	<b>400</b> lb	<b>400</b> lb
ited Drs:	4 DC	4 DC	4 DC	3 DC
es:		]		·
PS)'.				_
ant:		_		_
ed:				_
ng: htrol				_
ole:			_	_
ches ON:		_	_	_
otors	-			_
on: ol:1				_
ne:				_
trols				_
CS: ers:				<mark>_</mark> 1
iht:				
train GS: Free				_
Free ers:				
ince	— Tall Tubular	 Low Profile	 Low Profile	Low Profile
ng:		Low Fiolite		LOW FIGHT
on: ce:				5.1 inch <sup>4</sup>
ce: lifts	-			
es: ce:				
ion5	_			-
ng: iion				—
en: <sub>ears</sub>				-
net: be:d)				—
ck:				—
ery:				-
ard)		*		
ard) Kit:				—
Kit: gth)			_	_
Kit: gth) Kit:				_
Kit: <sup>(gth)</sup> Kit: <b>ty:</b>	15 years	15 years	15 years	
Kit: (gth) Kit: <b>:y:</b> lds	15 years 5 years	15 years 5 years	15 years	  10 years 2 years
Kit: gth) Kit: ty: Ids ors	15 years 5 years 3 years	15 years 5 years 3 years	15 years 4 years 3 years	10 years 2 years 1 year
Kit: (gth) Kit: ty: Ids ors ing	5 years	5 years	4 years	2 years
Kit: (gth) Kit: ty: Ids ors ing ing	5 years 3 years	5 years 3 years	4 years 3 years	2 years
Kit: (gth) Kit: ty: Ids ors ing	5 years 3 years 3 years	5 years 3 years 3 years	4 years 3 years 3 years	2 years 1 year —

#### **Bed Specification**

Adjustable Patient S	Surface Length:
Welded Sle	ep Deck Width:
Heigł	nt Travel Range:
includes resident, support surface, head/footbo	afe Work Load:
Maximum	Patient Weight: EVENLY DISTRIBUTED
	Actuators:

#### **Options & Features**

Chair Position (APS):
Advanced Positioning Pendant:
Pendant Attaches to Either Side of Bed:
Trendelenburg/Reverse Trendelenburg Positioning: Wia APS staff control
Slide-W-I-D-E <sup>™</sup> Option Available: between 35 - 42 inches
Patented Super-Efficient Transmission: less strain on the motors
Hi-Low Actuators are Unloaded in Low Position:
Staff Control.1
Upgrade Hand Controls and/or Staff Controls Anytime: interchangeable, mix and/or match standard and/or APS controls
Splash Proof Electronics:
Intuitive Pedal Lock or 4 Locking Casters:
Bed Locks and Rolls at Any Height: reducing care-giver back strain
Silent Operating, Sealed Ball Bearings: Maintenance-Free
Taller Casters: approximately 7 inches of clearance
Head and Footboard Mounting:
Built-in Push Bar and Breakage Reduction:
Maximum Clearance: overbed tables and lifts
Can be Used as Transport Devices:
FDA Guideline Compliance: for Bed Entrapment Risk Reductions
Silver Solutions Powder Coating: process provides antimicrobial surface protections
Made in the USA by Skilled Craftsmen: built to withstand trouble-free use for many years

#### Accessories:

 Edema Foot Ratchet: (elevates the foot end of the bed)
Plastic Pan Deck:
Backup Battery: (external or mounted onboard)
Extension Kit: (converts from 84 to 88 inch length)
Pin-on Wide Kit:

#### Warrant

Main Frame & Welds
Control Box & Actuator Motors
Hand Control Pendant & Cabling
Staff Control & Cabling
Head & Footboards
Product Page Link

- Not Applicable/Available

1 anytime add-on or with purchase

<sup>3</sup> boards made with 3DL material - all styles available in 3DL - ask for details — custom finishes available upon request (additional cost may incur) <sup>4</sup> fixed base

Standard

Optional

<sup>6</sup> "Hospital Bed System Dimensional and Assessment Guidance to Reduce Entrapment" details: www.fda.gov <sup>6</sup> preserves the cured coating during the service life of the bed & inhibits the growth of organisms that can detract from the appearance and coating functionality. inhibits the growth of bacterial odors and resists stains caused by mildew and/or mold

Available

GF Health Products, Inc. makes no independent representations or empirical statements about Silver Solutions. This information is reprinted from: TCI Powder Coatings, EPA Guidance for EPA Registration 40 CFR 152.25

GF Health Products, Inc. is an ISO 13485:2016 / MDSAP Certified Company





© 2017, GF Health Products, Inc. All Rights Reserved. Basic American Medical Products is a trademark of GF Health Products, Inc.

P Color variations may occur due to monitor or printer settings.

+1 770.368.4700 Information contained herein is subject to change without notice. The most current and complete product information can be found on our website. www.grahamfield.com